What's New in Salient Dashboards


Salient Management Company is dedicated to helping our clients improve their performance and efficiency through better and faster access to actionable intelligence. We continuously strive to improve our revolutionary suite of solutions.

Version 7.80

Improved dashboard design

Streamlined design process

A unified design process within the dashboard browser application lets you control how dashboards appear across different devices. In edit mode, you can build a desktop/tablet layout for browser-based viewing and a phone layout for the mobile app. The desktop/tablet layout may also be used in the mobile app to optimize display on wide screens. Each layout stores its own arrangement of widgets along with other settings.



If you wish, you can transition your existing dashboards to the new layouts. Some adjustments may be necessary, but, in general, the new layouts will keep your design work from previous versions. Existing dashboards from previous versions will be unaffected unless you choose to upgrade them.

Smart layout transitioning on mobile screens

A dashboard can automatically transition to the desktop/tablet layout on large tablets and/or rotated screens in the Salient mobile app. For example, a phone could show widgets in a single column in portrait orientation and switch to a two-column layout when rotated. This feature requires minimal setup in the desktop/tablet layout.



More types of design widgets in mobile

Enhance mobile dashboards with more types of widgets. The Salient mobile app can now display:


- Tabs maximize screenspace and organize data. In addition, tabs can have their own independent display settings for mobile.
- Buttons provide quick-pick options for filtering, selecting dates, opening other dashboards, and more.
- Text/HTML provide instructions, labels, and other content.
- Images include logos, icons, and other custom images.

Buttons, text/HTML and image widgets can be turned on/off for mobile in general settings of edit mode.



Dynamic desktop layouts

This version offers a new dynamic layout that automatically resizes widgets based on the screen or browser size to provide a better viewing experience on different devices. Existing dashboards will not be affected unless you switch them from a fixed layout to a dynamic layout.



Version 7.72


Hidden widgets

A new setting is available to hide widgets. Salient Dashboards will turn off the visibility of hidden widgets in all modes and will not request data for those widgets. This setting is primarily intended for use in advanced configurations where plug-ins control widget visibility. In this type of setup, hiding widgets may improve performance by limiting data requests to widgets that are currently displayed.

Version 7.71

Create a PDF for sharing and printing

You can create a portable document format (PDF) file that shows the contents of a dashboard. You can then print or share the file to present facts about performance independently of the dashboard application. This new feature includes multiple options, such as headers/footers and single-page format.




Share any view

You can share a view even if you haven't saved it as a dashboard. For example, share your insights when investigating the data in explore mode. In previous versions, only saved dashboards could be shared.

Go directly to specific tabs

When opening a dashboard, you can go directly to specific tabs by appending the dashboard URL with a tab parameter. Using this new feature, you can create separate buttons, web page links, emails, etc., that open different tabs within the same dashboard.




Version 7.70

Enhanced visualizations

This version includes several enhancements in data visualizations.

New two-way graph

The "unstacked" bar graph provides a simple visual representation of data grouped two ways at once, so that you can directly compare various cross-sections of data (e.g., brands in each region). Like other Crosstab graphs, this new format lets you color data by attribute member to provide visual understanding of what each bar represents, or by measure (values, % change, etc.) to identify variance and values.




Heatmaps

You can create heatmaps of data values using a new highlighting option. When "heatmap" is on, cell shading is based on the percent of the total for a given column; the darkest shades represent the largest values. You can use the default color, which represents the data type (volume, revenue, etc.), or pick a custom color in visual options. This new capability makes it easy to spot highs and lows in grids.

Package	Units	~	Ne Revenu		in		
⊞ 🗌 2Ltr-8	2,7	61	2,14	16 9,5	32		
🕀 🗌 200z NR	2,1	54	3,22	24 22,5	47		
🕀 🗌 12Pk Cn	1,0	40	73	37 3,8	78		
⊞ 🗌 1Ltr-15	6	58	88	33 5,7	25		
⊞ 🗌 16JC12	1	93	15	54 4	88		
E D			Units	Net Revenue ∨		Margin	Customer Count w/Sales Units
Total (2 Form	untain BIB		15,890	561,926		211,731	103
🕀 🗌 PET			18,148	230,098		133,854	118
🕀 🗌 Fou	untain Tank		12,185	215,752		122,886	156
🕀 🗌 Car	ns		9,177	90,123		53,368	59
🕀 🗌 Gla	SS		6,981	86,604		31,713	78
🕀 🗌 Cup	os & Lids		28,375	42,466		2,759	74


Consistent attribute coloring

Dashboard Designers can choose colors to represent various members or "groupings of data" across a dashboard. This new feature can improve visual understanding by applying colors consistently and, therefore, making data immediately recognizable. For example, a color might represent a certain region, brand, status, or any other attribute member. The color settings will be automatically applied to applicable widgets, which include Mix, Share Trend, and some Crosstab graphs.




Custom ranges in two-way graphs

You can choose your own custom color scale in Crosstab graphs (e.g., Deltamap) to better represent your organization's data values. For example, you might choose -25% to 25% to show percent change, or set custom thresholds for values. These settings are in visual options.



Comparative line graphs

In this version, the comparative graph can show data as lines, in addition to bars and markers. For example, you might use lines in conjunction with bars to make it easier to distinguish types of data. Lines might also be useful when graphing time-based or numeric dimensions. To turn on lines, go to visual options.



Smarter transitions between graph types

In addition, this version provides smarter transitions between graph formats (e.g., line, bar, point) when switching between analysis types. If you do not change the format, each analysis will use its default format even if you have started with a different analysis type. For example, if you start with a Comparative and then switch to a Trend without changing the graph format, the resulting graph will transition from bars to lines. However, if you choose a different format, the widget will retain this setting and apply it if you switch back to the original analysis type within the current session. This behavior can make dashboard building more efficient, but format history is not saved within the dashboard itself.

Import filters

Users can import text files that list out members (i.e., local collections) to quickly filter the data. Importing is available in several types of filters, including workspace filters, individual widget filters, filter widgets (i.e., filter menus), and filter buttons. In addition, the imported lists can be used to create collections. To import a filter list, click at the top of the member selection window and then locate the file, which should have the CSV extension and include member codes on separate lines.

Search	Q	¢
Available: 350	Selected: 0	<u>ف</u>
Product	ProductDescription	
0102	12PK CN Our DietCola	a product_num.csv - Notepad
0104	12PK CN Our Neon	File Edit Format View Help
0107	12PK CN Lmn-Lime	91857
0108	12PK CN Diet Lmn-Lim	
0115	12PK CN Our CF Cola	45802
		11904

Any user can access this capability unlike collections, which are limited to Power Viewers and Dashboard Designers; however, this feature may be turned off globally by your administrator.

Simpler drilling in Cross By analyses

Dashboard Designers can lock down the Cross By attribute to simplify data investigation for users. When the Cross By is locked, the Group By menu in view mode excludes the Cross By (x); therefore, users can drill and group the data (if allowed) while the Cross By remains unchanged. This new option is located in general settings.

In addition, this new option simplifies the drill path in graphs. Normally, graphs move down through two levels (1st By and Cross By) when a user double-clicks. When the Cross By is locked, drilling will move through the data one level at a time and keep the Cross By the same.

Improvements in row expansion

As in previous versions, you can expand grid rows to investigate multiple levels of data at once. This version includes improvements for these expanded rows.

Save expanded rows of data

Dashboards remember expanded grid rows in this version, so that users can see built-in levels of data when they open dashboards. To save these settings, just expand the desired row(s) and then save or share the dashboard.

	Comparative					
	Region [Customer]					
			Uni	ts		
	Region	This	Last \lor	Diff	% Change	- 1
1st By —	👆 📃 🗌 SouthEast Area	73,794	116,284	-42,490	-36.54	- 1
, 2n	d By 🖯 Visclosky, George	18,032	27,000	-8,968	-33.21	- 1
	⊕ PET	10,807	14,510	-3,703	-25.52	- 1
	ω 🕀 Cans	5,877	10,870	-4,993	-45.93	- 1
	Glass	461	572	-111	-19.41	- 1
	Equatoia Taal	482	566	-84	-14.84	- 1
	Cups & Lids	233	298	-65	-21.81	- 1
	🕀 Fountain BIB	172	184	-12	-6.52	- 1
	Form - 6 of 6					- 1
2n	d By 🖂 Saxton, Tom	18,637	26,408	-7,771	-29.43	- 1
	PET	9,565	12,714	-3,149	-24.77	
	() 🕀 Cans	5,941	9,166	-3,225	-35.18	
	Cups & Lids	1,560	2,160	-600	-27.78	
	⊕ Glass	910	1,412	-502	-35.55	
	💛 🕀 Fountain BIB	400	610	-210	-34.43	
	🕀 Fountain Tank	261	346	-85	-24.57	
	Form - 6 of 6					
2n	d By 🖂 Baird, Jim	10,536	19,010	-8,474	-44.58	
	🕀 Cans	5,295	10,816	-5,521	-51.04	
	G ⊕ Glass	4,941	7,680	-2,739	-35.66	
	<u> </u>	241	370	-129	-34.86	
	💬 🕀 Cups & Lids	40	120	-80	-66.67	
	🕀 Fountain Tank	8	16	-8	-50.00	

Drill up through multiple levels of data at once

After drilling down on multiple levels via expanded rows, you can quickly drill back up through these same levels with a single click.

Comparative			Q :	
Company One > SouthWest	Area 🔰 Morris	s, Dutch 🔰 Watkins alen 🗲 Channel		
	Unit	s		
Channel	This 🗸	Last		
🕀 🗌 Other Groceries	1,739	2,328		
🕀 🗌 Conv With Gas	820	Company		
🕀 📃 Fast Food	531		Units	
🕀 🗌 Drug Stores	519	Company	This \sim	Last
🕀 🗌 Restaurants	219	🖂 🗌 Company One	269,924	407,952
🕀 🗌 Beverage Centers	204	🕂 SouthEast Area	73,794	116,284
	198	SouthWest Area	60,364	89,170
🕀 📃 Bars / Taverns	154	🕀 Stark, Solomon	23,364	33,378
🕀 🗌 Clubs	154	🕀 Davis, John	10,957	16,790
		 Morris, Dutch 	10,765	13,750
		🕀 Watkins Glen	4,873	6,690
		🕀 Obeck-Watkins Glen	4,305	5,202

Automatically expand rows


A new setting can automatically expand the top grid rows to show an additional level of data for those items. For example, expand the top three brands, sales reps, accounts, etc., to see their details. Additional items may be manually expanded as usual. Dashboard Designers can choose the number of expanded rows in grid settings.


(Grid Settings	Comparative			
	Brand			
Grid Type		Units		
	Brand	This 🗸	Last	
Show Grid Toolbar	🖯 🗌 Our Cola	110,650	163,946	Т.
Hide Grid Totals	🕀 Cans	56,345	89,542	
	⊕ PET	54,103	74,150	
Hide Grid Averages	🕂 Glass	202	254	
	Form - 3 of 3			
Hide Grid Subtotals	🖯 🗌 Our Neon	38,808	57,404	
irid Page Size:	⊕ PET	22,571	30,434	
	🕂 Cans	16,237	26,970	
100 🗘	Form - 2 of 2			
lumber of rows to expand:	😑 🗌 Our DietCola	34,118	53,174	
	🕂 Cans	17,610	30,384	
3	⊕ PET	16,462	22,738	
v1	🕂 Glass	46	52	
Graph Settings	Form - 3 of 3			
	🕀 🗌 Our SF CF Cola	11,578	18,002	
ि Navigation Links	🕀 🗌 Our CF Cola	11,465	17,812	

Version 7.60

Custom visualizations

Custom views provide endless ways to create engaging, informative dashboards. Dashboard Designers can build custom views using HTML, JavaScript, and a simple, built-in scripting language to query and select the data in a widget. The Salient Dashboards installation comes with a variety of predefined "templates," including scaling text widgets, image overlays, tile views, and more. Dashboard Designers can customize these templates and build their own visualizations to show data in insightful new ways. For example:







Scaling text widget




273537 vs. Last Last 407952 Text-based recommendations and information

SouthEast Area (73794) is less than SouthWest Area and NorthWest Area combined (118049)

Notify


This new capability delivers automated, interactive notifications in time to make critical decisions. Messages may be sent as emails and/or notifications to mobile users.


To set up notifications, go to a dashboard in the Salient browser-based dashboard application; then, create custom notification rules based on the data. Start with a widget; pick your own custom conditions; and choose message options, including frequency, delivery method, subject/description, and recipients. For example, create notifications for low volumes, margin thresholds, out-of-stocks, pricing issues, increasing costs, and much more. Powerful tools, including rule groups, "AND/OR" operators, timeframe choices, and comparisons to other measures, allow you to apply any test criteria—from simple thresholds to complex sets of business rules. Additional options let you fine-tune when notifications are sent and what they contain. For example, send a notification every time the criteria are met or only when the status of something changes. The notification can include your own customized message along with information such as the number of members that meet the criteria.



Mobile notifications appear on mobile devices just like other notifications—immediately alerting users that something needs their attention. Users can simply tap to see details. As always, the mobile view is interactive and drillable, offering opportunities for further investigation. (End-users must have the Salient mobile app installed and allow notifications.)

Email notifications are also interactive. Users can click a button to log in to Salient browserbased dashboards and see the underlying data. The Salient Dashboards installation comes with a formatted email template. Your organization can customize the template to use its preferred colors, logo, and other design elements.






When notifications are used in conjunction with password collections (i.e. dimension-level access), notifications can provide user-specific information. For example, notify sales representatives based on their own sales data.

New widgets for dashboard design

This version includes new widgets that improve dashboard design, functionality, and access. Dashboard Designers can build these widgets into dashboards to create intuitive filters, links, content, and more. Widget colors and styles can be customized. New design widgets include:

- Button widgets allow users to quickly go to a URL, open another dashboard (with or without filters applied), change the date range, filter the current dashboard, or apply equivalents. For example, buttons might turn on/off filters for top brands or change the date range.
- Dashboard widgets provide a set of links to other dashboards, such as recent dashboards, favorite dashboards, all dashboards, published dashboards, or custom assortments of dashboards.
- Line widgets organize and enhance the appearance of dashboards.
- Knowledge Manager widgets embed general content, such as resources, from Knowledge Manager directly into the dashboard.




Custom landing pages

Dashboard Designers can create custom landing pages that include a variety of design widgets tailored to your organization. This new capability replaces the portal website from previous versions. Now the default "portal" is an actual dashboard with links and other design elements. Dashboard Designers can customize the default portal dashboard and create additional landing pages for specific user roles and objectives. Landing pages can include custom images, dashboard link widgets (tile or list styles), buttons, lines, text/HTML, tabs, data widgets, and more.

🏈 SALIENT 🏠 portal 🗸	*			← Back	C Edit 🕀 Explore 💿 View	- B V 🖓 < I :
🧼 Welcome	Explore Mod	e Build New Dashb	poard			
Recents Favo	orites All Dashbo	bards				
습 Pricing Trend	Brands MTD vs YAG	Basic by Channel	Simple vs YAG		Overall Volume Change	Overall Margin Change
MTD vs YAG	Accounts MTD vs YAG	Customers by Volume	MTD Brand Performance	*	Resources Salient Dashboards Training C Salient Dashboards Training C Salient Client Resources	-

Widget styles

Dashboard Designers can easily apply styles to widgets to enhance the dashboard's appearance. This version comes with a set of built-in styles, such as rounded and shadow. Your organization can create additional styles that include custom colors, fonts, and more. To apply styles, go to general settings.



Multi-language user interface

The Salient Dashboards user interface (menus, dialogs, options, labels, etc.) can display in multiple languages.

A user simply picks a dataset in the login page to turn on the language associated with it. Additional configuration is required.

The following languages are supported: English, Chinese, Japanese, Spanish, Portuguese, German, and French.

As in previous versions, the dataset itself (descriptions, dimensions, measures, etc.) can also be made available in multiple languages. See the *Salient Dashboards Installation and Configuration Manual* for more information.

,	MyDataset (English) MyDataset (English)
	MyDataset (Spanish) MyDataset (French)
	Password:
ì	••••••••••••••••••••••••••••••••••••

Advanced option for measure visibility

A new "misinformation" option in general settings lets advanced users turn off measure visibility rules based on applied filters. This allows users to view data in more situations, such as when a filter does not pertain to a measure. For example, look at budgets or causal data when those values would normally be hidden. This type of data may be misleading; therefore, only advanced users who fully understand the dataset schema should use misinformation. Other users should keep the misinformation option turned off. Administrators may entirely turn off misinformation for all users and dashboards if desired.


	Λ Ι	ΝЛ	n	1	
H X	A	IVI.	\mathbf{P}	. 1	_
	1 1 1			_	

	Brand filter	does not	
Comparative	affect these	measures.	
Our Cola Region [Cus	tomer]		
Region	Units 🗸	Budget - All Brands	AssetCount
CouthWest Area	27,513	59,152	928.7
Typical maasuras	27,332	62,539	1,031.7
Typical measures	25,313	53,979	599.2
are filtered by brand.	23,342	50,365	735.3
🕀 🗌 Near West Area	5,634	0	3,184.4
🕀 🗌 NorthEast Area	182	282	57.5

Version 7.51

Graph axis customization

This version provides better control over axes in actual value and percent change graphs. A new axis management area provides streamlined access to setup options, including location, title, minimum, maximum, and tick interval. To access these settings, go to the widget menu or graph settings in the toolkit.



Version 7.50

Performance improvements in user data

Version 7.50 includes an efficient new option for storing and retrieving user data (dashboards, collections, etc.). If configured, this enhancement can provide significantly improved login times, especially in configurations with many users and large amounts of user data. In addition, user data management will be improved when load balancing.

How it works: A user data service stores the user data efficiently by segregating it into metadata and corresponding user data components. Salient Dashboards and other Salient client applications can then load the data on an asneeded basis to achieve optimized response times. Additional installation and configuration are required.


The traditional user data option is still available if your organization does not wish to utilize the user data service.

Improved design options

Custom color palettes

Enhance graphs using custom color palettes. Just pick a color palette in visual options to apply its colors to a graph.

Salient Dashboards come with a set of built-in color palettes; in addition, your organization can configure its own custom color palettes.



Your organization can choose a default color palette to automatically upgrade colors in existing dashboards. See the Salient Dashboards Installation and Configuration Manual for more information.

Visual options for mix widgets

Mix graphs have visual options, including color palettes and a new option to adjust the size of the doughnut center.

	,		
Color	Style	Size	
	N/A	50%	


Better control over widget layering

Dashboard Designers can control the layering order of widgets to determine which widgets appear in front of others. This enhancement helps the design process and keeps widgets in place for end-users, because the order does not change In view mode. For example, multiple overlapping widgets, such as analyses, images, and captions, will keep the same display order regardless of where the user clicks. Layer ordering is available in general settings of edit mode.



Highlight totals, averages, and subtotals

Highlight settings can be applied to totals, averages, and subtotals (i.e., checked/unchecked members) in grids and graphs. This new capability makes it easier to identify summary metrics that fall within or outside of the expected ranges.



More control over data exploration

Administrators can choose which users have access to explore mode where they can perform advanced data investigation. These rights are applied per user group in the Administrator's Utility. As in the previous version, explore mode may also be turned on/off globally for all users.


SSO authentication

This version supports SSO authentication using the new Salient Authentication Service and an external Identity Provider (IdP). In this configuration, Salient Dashboards and other Salient client applications can authenticate users based on credentials from another system. This authentication method requires additional installation and configuration, including the Salient user data service. Contact Salient for more information.

Version 7.20

Explore the data

Power Viewers and Dashboard Designers can perform advanced data investigation in a new "explore" mode. A toolkit provides many of the same powerful analysis tools available in edit mode. For example, change the analysis type (compare, trend, map, etc.), group the data by more attributes (any available in the dataset), add measures beyond those that were built into the dashboard, customize grids and graphs, and so on.



To start exploring, pick any widget in a dashboard and choose to "Explore from Here."

k 🛛 🖉 🗊 💷	V Q 🐌
5/1999 06/1999 07/1999 08 Average	Maximize
21,349 150,834 111,656 1 108,727	B Export
45,823 57,650 47,194 41,589	Explore From Here
41,375 49,464 36,266 36,042	Graph All Brand
11,839 16,700 10,967 10,978	Graph Checked Member(s) in Brand

Or, go straight to a default starting point for exploration.




Then, follow the data wherever it leads to make informed decisions to improve performance. After exploring, users can save their changes in a new dashboard.

Administrators can enable or disable this feature. See the Salient Dashboards Installation and Configuration Manual for more information.


Streamlined analysis selection

A redesigned analysis panel makes it easy to change the analysis type (comparison, trend, exception, etc.) in edit or explore mode. The panel opens automatically. Just click to pick your preferred analysis type.



Simplified tabs

Dashboard Designers can easily create simple, tabbed views using a new "single widget" option in the tab settings area. Each widget is maximized in its own tab. The tab name populates automatically based on the widget title.



Easier navigation


New buttons are available to navigate between views:

- Go back to previous dashboards visited during the session. (The browser's back and forward buttons can also be used.)
- Switch between view, explore, and edit modes (requires user account rights).

🏈 SALIENT 🏠 Dashbo	pards \vee *		÷	Back	Edit	🏨 Explore	◎ View 🛛 🛱 🏹 😲 🛛 🗄
Comparative ~ Last Complet	e 16 Months		_				
Comparative ~ Last Comp	olete 16 Mont	hs					\ \ \$\\$\$ III I Q :
Brand							
Brand	Units	Margin 🗸	Net Price	Net Revenue			
🕀 🗌 Our Cola	1,739,636	3,325,686	3.88	6,753,484			
🕀 🗌 Our Neon	665,430	1,393,387	4.15	2,759,992			
🕀 🗌 Our DietCola	576,667	1,065,496	3.91	2,252,433			
🕀 🗌 Our Lemon-Lime	157,246	313,593	4.15	652,907			
🖽 🗌 Our CF Cola	168,674	273,557	3.47	585,796			

Better use of screen space

This version removes the toolbar previously located above the toolkit/workspace in edit mode. The functions are now built into other areas of Salient Dashboards (except for "revert," which you can accomplish by re-opening the saved version of the dashboard).



Version 7.10 SP4

Record-level details

Salient Dashboards can show record-level data (e.g. invoices, work records, inventory, etc.). To see information at this granular level, group the data by Record Details. The details show each individual record for the given context. Record details may include dates (single date for transactions or start/end dates for non-transactional data), measures, key descriptions, dimensions, and invoice numbers (if configured). Record details may be incorporated into a drill hierarchy to allow flexible drilling from a high-level overview to fully-granular data. For example, drill down from a company-wide dashboard to record-level details for a single customer. The details may be filtered to show any subset of data records for any timeframe. Both grid and graph formats are available.

Compara	tive				
SouthEast	Area > Reco	rd Details			
Date 🔨	Invoice	CustName	ProductDescription	Units This	Gross Revenue
1/2/2020	00506005	VILLAGE NORTH # 17	2LTR-8 Vernors	2	2
1/2/2020	00506005	VILLAGE NORTH # 17	12PK CN Our New Diet	8	8
1/2/2020	00506005	VILLAGE NORTH # 17	2LTR-8 Our New Diet	4	4
/2/2020	00506005	VILLAGE NORTH # 17	1Ltr-15 Our New Diet	2	3
/2/2020	00506008	OBECK INC # 3211	12PK CN Our Cola	408	418
1/2/2020	00506008	OBECK INC # 3211	12PK CN Our DietCola	204	209
1/2/2020	00506005	VILLAGE NORTH # 17	16PNR8 Our Cola	140	190
1/2/2020	00506008	OBECK INC # 3211	12PK CN Our Neon	102	104
1/2/2020	00506005	VILLAGE NORTH # 17	2LTR-8 Our Neon	80	87

This new capability is similar to SIM's Line Item and Time in Place analyses.

Version 7.10 SP3

French language

Salient Dashboards are now available in French if configured. See the Salient Dashboards Installation and Configuration Manual for more information.

Graph improvements

Alignment, spacing, and labeling are improved in some graphs.

Enhancements for administrators

This version allows for live updates of most configuration settings without needing to restart Salient Dashboards. Note that some settings (e.g., language) may require the user to log out to take effect.

Version 7.10 SP2

Performance improvements

Salient continues to enhance the performance of dashboards in this version.

- Dashboards with large collections or long lists of members will load faster.
- This version caches collections. As a result, dashboards that have many collections or reuse the same collection in several widgets will have improved response times.
- Multi-threading enhancements allow the dashboard server to handle requests more efficiently, resulting in noticeably improved response times in complex dashboards.
- Datasets with large schemas (many keys, dimensions, etc.) will work more efficiently.

Easy navigation to visited dashboards

You can now use the browser's back and forward buttons to navigate between dashboards visited during your current session. The browser history retains each dashboard you opened and whether you were in view or edit mode. In addition, if you modified any dashboard (e.g., graph/grid format, measure selection, Group By, filter selection, etc.), the dashboard will retain those changes in the browser history.

{2 → G	Go back and between da						
) salient 🔺	Brand Performance \sim		_				
Dew D	🛞 SALIENT 🔺 Custome	ers by Volume	/				
Toolkit	Comparative						
Norkspace	Channel	This set	Units	Diff	N. Channel	Margin	
	Channel	This ∨ 75.260	Last 115.504	Diff -40,244	% Change -34.84	This 282,234	Last 426.029
Layout Sett	Conv With Gas	29,393	38,590	-9,197	-23.83	176,649	232,179
De co Cierro	Other Groceries	23,519	30,926	-7,407	-23.95	133,536	173,329
Page Size:	Mass Merchandisers	20,109	28,922	-8,813	-30.47	58,081	83,572
1280 x 1024	Local Chains	17,356	22,752	-5,396	-23.72	57,855	74,600
Grid Spacing:	Drug Stores	15,651	38,702	-23,051	-59.56	51,818	109,784
	3rd Party Operators	15,140	28,040	-12,900	-46.01	60,511	93,881
10	Superettes	11,545	14,146	-2,601	-18.39	48,500	58,808
Background Image		7,633	14,054	-6,421	-45.69	50,212	74,777
	Beverage Centers	7,330	9,190	-1,860	-20.24	25,136	32,708
none	C D Develage centers	7,166	10,486	-3,320	-31.66	44,304	59,906

Version 7.10 SP1

This version includes new options to simplify and customize dashboards, performance improvements, and improved logging.

More control over allowed features

Dashboard Designers can optionally lock down more features to create simpler dashboards for users who don't need advanced capabilities. These new options are located in general settings of edit mode.

⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨⟨<	•
Y Position:	
0	
 Enable Export Show Date Setup Icon In Viewer Mode 	
Show Filters Icon in Viewer	
 Disable Breadcrumb Path Disable Viewer Measure Changing 	
Allow Viewer Chart/Grid Toggling	

Turn off filtering capabilities


Dashboard Designers can turn off the filter icon for a widget. This prevents end-users from applying widget filters in view mode, and keeps users focused on a defined portion of the data (if other drilling/filtering capabilities are disabled as well).

Lock down graph/grid

A Dashboard Designer can turn off the graph/grid toggle icon to provide users with simpler, pre-configured displays.

Custom highlighting colors

Your organization can use custom highlighting colors to represent ranges of data in graphs. For example, you might prefer brighter highlighting colors than the standard red, green, and yellow provided with the installation. Custom highlighting colors must be configured by your administrator; Dashboard Designers can then select a highlighting style to apply the custom colors when building dashboards.




Simplified grid colors

To simplify grids, Dashboard Designers can turn off colors that represent measure categories in headings. This new design feature can help reduce distractions and allow users to focus on meaningful indicators, such as highlighted data. This option is located under "Dashboard Settings" in edit mode.

This 🗸	Units	% Change	This	Margin Diff	% Change
109,316	3,637	3.44	436,082	-12,690	-2.83
40,654	859	2.16	184,393	-8,836	-4.57
37,423	1,774	4.98	144,611	-2,858	-1.94
11,893	1,494	14.37 🛧	44,338	4,209	10.49
11,354	924	8.86	33,567	-186	-0.55
11,275	1,668	17.36 🛧	35,805	2,325	6.94
4,513	711	18.70 🛧	17,065	994	6.19
3,592	-217	-5.70	7,080	245	3.58
3,118	-148	-4.53	9,363	-1,097	-10.49
2,875	-474	-14.15 🔶	10,120	-1,981	-16.37

Custom graph labels

Power Viewers and Dashboard Designers can customize the axis titles in trend, comparative, and multi comparative graphs. This new feature allows users to apply their own preferred terminology and/or remove labels to simplify the graph.



More information in gauges

Numeric gauges include the percent (%) symbol for "percent" measures, such as discount percent and margin percent. This allows users to immediately recognize and understand this type of data.

Margin Percent 48.9%

Performance improvements

This version provides general performance enhancements, including:

- Faster loading and exporting of large data grids.
- Improved performance when running many queries (e.g., loading several widgets).
- Quicker response times when opening, saving, and searching for dashboards.

Logging enhancements

Structured logging

Salient Dashboards can output errors and other events to Serilog text files and/or a structured Seq database (additional installation required). The Seq database can be queried and filtered for improved identification and diagnosis of problems. The new format will also allow for enhancements in future versions. The traditional xml files are still available if configured.

Logging levels

You can select from several different levels of logging—from a summary level that reports only the most critical events to a debug level for detailed troubleshooting.

See the Salient Dashboards Installation and Configuration Manual for more information.

Flexible precision settings

New configuration settings allow organizations to display custom levels of precision (i.e. number of decimal places) depending on the currency or equivalent table being used.

Version 7.10

Choose your own way of grouping the data


This version lets you create your own ways of grouping the data, called "custom groups." Dashboard Designers can add a custom group by picking and choosing saved groups of members (i.e., collections). You can then turn on the custom group to roll up and compare results. For example, create and compare custom groups of customers or products based on performance, history, business initiatives, or any other way of segmenting the data.

This new feature is like SIM's "show by title" functionality, but is more flexible. The custom group becomes part of the dimensional hierarchy for seamless integration into the dashboard. The results can be compared and investigated just like regular dimensions... by expanding into the next level of detail, drilling, adding measures, and more.

Comparative Brands by Year Introduced	Custom g way of l	r oup (i.e., o ooking at th			
Brands by Year Introduced	This 🗸	LOSI	- Dill	wenange	
🕀 🗌 Old Brands 2017 and earlier	3,632,5				
🕞 🗌 New Brands 2018	7,9	Rolled-up	results by	collection	
 Blue Raspbry 	1,1				
⊕ 12ltice	1,160	0	1,160	100.00	_
Package - 1 of 1					
Cherry Ice	1,015	0	1,015	100.00	
⊕ 12ltlce	1,015	^	1.015	100.00	
Package - 1 of 1		F I		_	
 Our Orange 	9		le drill hie		
Premix	8		e the custo		
Post Lcl		anywhere	within the	drill order.	
PostmxNT					
PremixSP	13	0	13	100.00	_
Package - 4 of 4					
Lemon Ice	787	0	787	100.00	
Tutti Frutti	731	0	731	100.00	
StrwbrySizle	650	0	650	100.00	
Fruit Rage	602	0	602	100.00	
5 ž	500	^	500	100.00	
Total (2)	3,640,501	3,403,100	237,401	6.98	-

Adding a custom group (edit mode only)

A custom group can be added to a dashboard by selecting collections and assigning a name.



Turning on a custom group (view or edit mode)

The custom group can then be selected as a "group by" at any level in the drill order, just like any other dimension.

Comparative

Brands by Year Introduced

	\sim		Units	
E Search	<u>Q</u>	'his 🗸	Last	Diff
List order Downlevel Order	\sim	32,545	3,403,100	229,445
		7,956	0	7,956
1 Brands by Year Introduced		1,160	0	1,160
2 Brand		1,015	0	1,015
2 Brand		969	0	969
3 Package		787	0	787
1. Channel		731	0	731
4 Channel		650	0	650
5 SalesRep		602	0	602
EEI Dünayoo Diresso		533	0	533
6 Company		520	0	520
7 AssignedRoute		517	0	517
AssignedRoute		472	0	472
8 KeyAccount		0	0	0
9 7inCode	-			

Because custom groups are based on collections, management is easy and automatic. Whenever the collection membership changes, the custom group automatically updates.

More capabilities for Power Viewers

This version provides more control for Power Viewers who want to customize dashboards for their own unique purposes without needing the full set of dashboard-building capabilities.

Save and manage dashboards

Power Viewers can save and access their own dashboards. The saved dashboard retains all the customizations made by the user, such as filters, measure selections, date changes and more. For example, a Power Viewer might narrow down on part of the business and then save the dashboard for future use. Each Power Viewer can create his or her own library of dashboards for quick and easy access.

To save a dashboard, a Power Viewer user simply clicks the **Save** button at the top of the screen. The new dashboard is normally stored in a private location (i.e. only available to that user), but may be published if the user has the necessary rights.

	Click Save.		√
Channel Checked (2) X	Enter a name.	Name: Overview - SouthEast - Convenience	
SalesRep All V	Select a location. Options depend	C Published Private My Company Dashboards	Margin Last Diff
All T	on user rights:	My Company Dashboards My SouthEast Dashboards Pa NewEolder	68,559 -17,549 44,683 -11,548
SouthEast Area X Y Variance vs. Last SouthEast Area • Channel: Checked (2)	Published - available to other users Private - per user	Tip: You can create new folders for storing and organizing dashboards.	22,121 -5,394 1,756 -607 9,095 -1,368 6,469 -1,133
	Click OK.	New Folder OK Cancel	2,387 -182 239 -53

Collections for Power Viewers

In this version, Power Viewers can create, apply, manage, and save custom sets of members (i.e., collections) to narrow down on their preferred subsets of data.

Turn on collections

Using the same intuitive controls found in edit mode, a Power Viewer can turn on a collection to filter data in a single widget or across the dashboard.

	Filters		parative			
	Load a Co	llection	Create a filter nnel			
This ∨ 75,260	There are no	filters appl	Collections			
29,393	38,590	-9,197	Create New Collection			
23,519	30,926	-7,407				
20,109	28,922	-8,813	Search	Q	ŝ	
17,356	22,752	-5,396		~	50	
15,651	38,702	-23,051	🖃 🖻 Product		*	
15,031	28.040	-12,900	🕀 🗁 Product List		- 10	
11,545	14,146	-2,601	🕀 🗁 Package			
7.633	14.054	-6,421	0			
7,330	9,190	-1,860	🖃 🗁 Brand			
7,166	10.486	-3,320	🖃 🗁 Global			
6,736	9,524	-2,788	Coffee Brands		- 11	
5,291	7,354	-2,063				hang
4700	C 01 0	4 4.47	Energy Brands			Ŭ
273,537	407,952	-134,415	Isotonics			t]
			🗹 Juice Brands		.	
			Refresh Apply	Cano	el:	

Create your own collections

A Power Viewer can pick and choose members to create their own personal collections—either from scratch or based on an existing collection.

Collections			
Create New Co			
Search Search Product Product List Package Shand Coffee Brand Coffee Brand Energy Bran Isotonics Automatics Refresh	AssignedRoute Channel KeyAccount	corning Available: 6 AssignedRoute Corning Sch Dist Corning, P-Post Faire D-Corning Foodmart Corning Obeck-Corning Village Nort-Corning Village Nort-Corning Exclude Checked	ng

Create global (shared) collections

Depending on his or her permissions, a Power Viewer may also be allowed to save collections globally to share them with other users.

Save						
Save Location: Cu	ustomer\Company\Global					
🗆 🗁 Customer						
🖃 🖻 Company						
⊞ E⊃ G	ilobal					
Collection name:	Company One apply after saving					
New Folder	I	Save	Cancel			

Lock down content and categories

Like in previous versions, Dashboard Designers can use collections to lock down content.

In edit mode, the Dashboard Designer simply turns off a collection's visibility to prevent endusers (including Power Viewers) from seeing the collection in the filters area and/or turning off the collection. Note that Power Viewers may still be able to edit the collection depending on their rights. The visibility can be controlled per collection to provide a dashboard with customized filter access.

Filters	×	
Load a	Collection Create a filter	-
Packag 30 PACK CA	e (Product) NS	
	el (Customer) (pe [Global]	
	b Channel <i>(Customer)</i> Market Type [Global]	1

In addition, Dashboard Designers can select specific categories, including the private category and/or global categories, to include in the collection tree; Power Viewers will only be able to use or modify collections in the selected categories. These settings are applied per dashboard, but the default settings for all new and existing dashboards can be controlled in the configuration files.

Move collections

Dashboard Designers and Power Viewers can now move collections between private and global categories for improved flexibility in collection management.

Easier and more advanced filtering


Filter across all dashboards (i.e. global filtering)

You can turn on global filters to re-use them across multiple dashboards. This enhancement makes it easy to stay focused on any area of the business while viewing the data in a variety of dashboards.

To turn on global filters, simply "lock" any workspace filters that you want to carry over to other dashboards. The global filters will then be automatically applied when you open another dashboard. Note that only applicable filters (i.e., attributes used as a "Group By" in the dashboard) will be applied.


Filters	×	
Load a Collection Create a filter		
Channel (Customer)	×	
Chain (Customer) All	_	
Brand (Product) All		

The portal shows a snapshot of the global filters that are currently on and provides a quick link to remove them.




Streamlined filter management in a new panel

A new, collapsible panel lets you manage all filters that work across the dashboard (i.e., workspace filters). The streamlined panel lists all workspace filters, including global filters and collections (if enabled), and let you change them. Just click to make a filter selection, add a filter, remove a filter, turn on as a global filter, and more. Dashboard Designers can enable or disable this panel and dock it to the left or right side of the screen.




Fit more data on the screen

Built-in filters in the new panel can replace separate filter widgets to save screen space. Users simply click to open the filter panel and then make their selections.




Dashboard Designers can easily upgrade existing dashboards to this new format using a new option in dashboard settings. After opening in the dashboard in edit mode, go to dashboard settings, click "Remove Filter Widgets from Dashboard," rearrange widgets to take advantage of additional screen space (if desired), and then save your changes.




Expanded options for end date selection

The new filters panel includes an option to set the end date across the dashboard. In previous versions, this option was only available as a separate date selector widget, but can now be included in the filters panel to simplify the dashboard and save screen space. In addition, this enhancement allows users to add date selectors in view or edit mode. Just add a "Date" filter to the panel and configure the possible end dates that should be available in the menu. Then, pick an end date to apply it across the dashboard.



Easier equivalent selection


An option to select equivalents to convert or standardize the data is available in the filters panel. (Equivalent factors must be pre-configured into the dataset.) This allows you to streamline the dashboard by using the new "built-in" equivalent selection rather than a separate selector widget.



Geo enhancements

Transparency

You can control the transparency of layers and markers in Geo maps to make them easier to read. For example, make a data layer transparent to see background information, such as roads, boundaries, and cities. Turn on marker transparency to improve visibility of markers and background information in densely populated areas. The new opacity setting is available to Dashboard Designers and Power Viewers under the marker and layer setup areas.





Custom buckets for color and size

Define your own custom buckets of data to show on the map. These user-defined buckets let you match up ranges of data to specific colors (e.g. green for positive change and red for negative change). In addition, user-defined ranges can eliminate any unwanted effects of outliers. The result is better control over the map.

These new settings are available to Dashboard Designers and Power Viewers in the geo setup areas. You can set the range size and a starting point; then edit any specific range if you wish.

For example, plot customers based on exact ranges of percent change or show sales within specific price ranges.






This same feature is available for layers to provide control over what each color or shade represents.

Stay focused on an area of the map

A new setting in edit mode lets you control how a map behaves when new data is selected—either keep the same map area (autozoom off) or automatically zoom to the maximum extent of the data (autozoom on). By turning autozoom off, you can stay focused on an area of interest as you work in the map. In addition, you can zoom to a preferred area prior to saving; the map will retain that map extent. As always, users can manually pan and zoom to any desired location.



Easier drilling between dashboards


A new option for custom drill-downs allows the Designer to customize the drill process. If "Only Drill Into Dashboard" is on, the user can go straight to the next dashboard to get important information about the item of interest without having to first drill through additional levels of data. The starting dashboard can have multiple levels of dimensionality for expanding and grouping the data; the levels are simply skipped when drilling for faster access to the next step in the investigation.

Toolkit <	Comparative									
	Channel_lbl									
Comparative 🗸			Units_I	bl			Net Reve	nue_lbl		
comparative V	Channel_Ibl	This 🗸	Last	Diff	% Change	This	Last	Diff	% Change	- 1
	🕀 🗌 Regional Chains	75,260	115,504	-40,244	-34.84	6,171	9,401	-3,230	-34.36	- 1
Analysis	🕀 🗌 Conv With Gas	29,393	38,590	-9,197	-23.83	3,224	4,252	-1,028	-24.18	
	🕀 🗌 Other Groceries	23,519	30,926	-7,407	-23.95	2,480	3,276	-797	-24.32	
(i) Context	🕀 🗌 Mass Merchandisers	20,109	28,922	-8,813	-30.47	1,423	2,035	-611	-30.05	
Context	🕀 🗌 Local Chains	17,356	22,752	-5,396	-23.72	1,319	1,732	-413	-23.86	
~~~	🕀 🗌 Drug Stores	15,651	38,702	-23,051	-59.56	1,188	2,709	-1,521	-56.15	
留} Grid Settings	🕀 🗌 3rd Party Operators	15,140	28,040	-12,900	-46.01	1,356	2,153	-797	-37.04	
				0.000	40.00	1,009	1,244	-236	-18.95	
Graph Settings		lirectly to	nevt	dashbo	hard	256	294	-38	-12.97	
	Visclos	meetry t		ausnibe		210	287	-77	-26.78	
	🕀 All Others	1,366	1,614	-248	-15.37	123	147	-23	-15.99	
Navigation Links	E C & N Company	629	966	-337	-34.89	55	87	-32	-36.58	
	Dilbert's	336	554	-218	-39.35	32	54	-22	-40.52	
🔗 Manage Links (1)	KeyAccount_lbl - 3	3								
Show Navigation Links on Widget	Gauge		Compa Brand	irative				Comparativ Brand	e	
Allow Navigation Links in Drill	E					Units_lbl	A	Ou	ır Cola —	
Path			Brand_II		Т	his 🗸	Last		Neon -	E
Only Drill Into Dashboard				Dur Cola		5,076	6,260	Our Di		
	<b>∃</b>			Dur Neon		1,961	2,448		F Cola —	
Open Navigation Links in Same	Œ			Dur DietCola		1,289	1,554	Our SF C Our Lemor		
Window	E 40	200/		Dur CF Cola		537	656	Our Lemor		
		39%		Dur SF CF Cola		520	614		er Ale —	÷.
C General Settings	Œ			Dur Lemon-Lime		344	386	SF Our Lemon		
-	Total (39 Gauge			Dur New Diet		324	388	Hires Roo		
	Gauge			Singer Ale		244	298	SF Our		
				SF Our Lemom-L	ime	149	164	Our Cherr	ea Mix —	
				Hires Root Beer		124	156		)range —	f
				F Our Neon		109	142	Sunny		
				Dur Cherry Cola		83	106	Our Roo		
			E 🗌 1			67	80		Punch 📃 🔳	
				Drange		61	76		in Tea —	
	10		± 🗆 🗄	Sunny Delite		55	92	Rspbry Cherry L		2
	-18	95%		Dur PootReer		5.4	64	cherry L	chion -	

This new option can be easily turned off if the Designer wants to require additional drilling before going to the next dashboard.

#### Improved two-way graphs

You can fit more data on the screen by switching to the new "horizontal" format in Crosstab graphs.






In addition, graph labels are easier to read in this version.


#### Pie chart insights at a glance

Labels let you quickly see who or what each pie slice represents, allowing you to create a simpler graph without a legend. You can either display the member names, percent amounts, or both. These options are available under graph settings in edit mode. As in previous versions, you can place your cursor over a pie slice to see additional details.



## Streamlined toolbar

The new toolbar makes the most of your screen space. Easily expand and collapse filter and Knowledge Manager panels. Just click to share and save dashboards. A consolidated menu provides access to help, dataset and software information, user settings and more. In addition, a new server status icon appears for a brief time after opening a dashboard and if the server status changes. You can mouse-over this icon to see when the last data update occurred.



The main toolbar no longer includes the home button, but you can easily access your home dashboard (if one has been defined) at the top of the dashboards menu.

🍘 salient	☆ Chain Account I	Performance V		
	Search		Q	
	ြူ Chain Accou	nt Performance		
	<ul> <li>Recent</li> </ul>	Chain Account Performance		
	🔶 Favorites			

## Performance improvements

This version includes performance improvements related to loading and interacting with dashboards.

## Configurable page sizes (i.e., how many to display)

#### Customized number of search results

Your administrator can configure the maximum number of members to return in a search, allowing you to see more results than in previous versions. (The results were previously limited to 1,000 items.)

#### More members per page

This version includes a new, configurable limit for the maximum page size (i.e. most members to show per page). This limit can be configured by your administrator to allow users to increase the page size beyond the 1,000 limit used in previous versions. For performance reasons, the limit cannot exceed 10,000. As in previous versions, an individual widget's page size is defined in grid settings or graph settings in edit mode; now, the page size can be increased from the default page size (also set by your administrator) to the maximum limit.

#### Near-real-time data updates

This version includes the ability to perform "near-real-time" data updates without disconnecting users from SIM and Salient Dashboards. This capability was previously available as a BETA feature but is more robust in this version. Data updates can happen during the day or any other time with minimal interruptions to users, therefore, providing users with the most current information available.

During the data update, a message notifies users that the server has gone into "suspended state" and a yellow indicator indicator

Data updates that are performed while users are connected should be limited to incremental data updates of a manageable size. Dataset schema changes and data removal are not supported while the Server is running. These types of updates should be performed when users are not connected, such as during a nightly update. In addition, near-real-time updates are not recommended in a Metaserver environment.

If you wish to perform near-real-time data updates, contact Salient Support for information on setting up this feature. The UXT Server Version 6.00 SP3 or higher is required.

# Version 7.0 SP1

# Enhanced logging

This version provides administrators with information about the specific tasks performed by users in Salient Dashboards. This information is recorded in the user event logs located on the UXT Server. (The UXT Server V6.00 SP3 or higher is required.) These logs report the user that performed the action, date/time, and any of the following actions:

- Logging into dashboards (Password collections are logged.)
- Opening a dashboard
- Saving a dashboard
- Renaming, moving, or deleting a dashboard
- Exporting a widget
- Adding a collection as a filter
- Creating, deleting, editing or renaming a collection
- Making a collection global
- Exporting a dashboard
- Opening a dashboard deck

## Password change in single sign-on

In single sign-on configurations, you can now change your password using the passwords area of Salient Dashboards.


# Version 7.0

#### Look and feel

Salient Dashboards has been redesigned to include intuitive and consistent menus. The result is a seamless navigational experience and faster access to actionable information.


#### Streamlined access to view and edit modes

A single web application lets users view and edit dashboards, depending on their user rights. This allows all users to go to a streamlined starting point, where they can log in to access their available options. Users who have rights to edit dashboards have access to "edit" mode where they can create and edit dashboards, as well as "view" mode, where they can view and interact with dashboards. Users who do not have edit rights only have access to "view" mode.




## Widget menu

A new "Add Widget" menu in edit mode provides a more intuitive way to add all types of widgets, including analysis widgets, filters, and more. Click the drop-down menu and then either click on a widget type to add it to the upper-left corner of the dashboard, or click and drag a widget to a specific location.



#### Toolkit panel

The new Toolkit panel is a comprehensive resource for customizing any aspect of a widget or the dashboard. In edit mode, just click on the widget you want to modify, and use the Toolkit panel to change the analysis type, select the dates, group the data by a different attribute, filter, select measures, change graph or grid settings, and more.



#### Improved date selection

Quick-pick date presets make it easier to select the timeframe. Salient provides several presets, such as Month to Date, Last Month, Last 30 Days, Last 6 Months, Year to Date, etc. Each preset appears as a button in the date selection area. Your administrator can configure additional date presets for commonly-used date selections. Users can further customize any date range if they wish by changing the start date, end date, number of dates, and other options.

	Name: Month To Date	vs. YAG			Day Filters				
	Resolution: Month	~	Week Ending:	Sunday	$\sim$				
	This								
	Month To Date Last Month	Last 6 Months Yea	ar To Date Last Year	Custom					
	Start: 01/2011	31	Calendar a advanced se (optiona	ttings	<u>∃</u> 1 ↓				
Quick-pick date presets	Most Recent Complet	e							
	Last				前 remove				
		rior Month Prior Year	Month To Date	ast Month Last 6 Mor	iths				
	Start: 01/2010	31		End: 01/2010	31				
	Tip: "Matching time frames" or "Complete last period" replaces the calendar days								
	Comparison: Matchir	Comparison: Matching time frames option from previous versions. These options are used for comparing an incomplete month/period to an earlier date range.							
	C Reset			UK	Cancel				

Advanced date options let you customize if and how the date range moves as time goes on (e.g., relative to today or a fixed date), set an offset or "lag" time, and align the start or end date to another date. Possible applications include:

- Create a YAG comparison that matches up days-of-the-week (i.e., go back 52 weeks instead of one year).
- Only pull data that is at least two days old.
- In a month-to-date comparison, only include data through the most recent complete week.
- Look at the first 30 or 60 days in a 90-day period.
- Create your own custom date range.

**Tip:** To accommodate these changes, date selectors function differently in 7.0. If dashboard has a date selector, then it controls the "current" date and, therefore, does not affect fixed-date widgets.

Date Picker	Advanced					
Movement:						
Relative to T						
-52 We	ek 🗸					
Alignment:						
None	$\sim$					
ОК						

#### Linking dates across a dashboard

Date settings can now be linked across widgets in a dashboard to allow users to easily change the dates of multiple widgets at once. Click a button in the widget's date setup area to "link" its date settings to other widgets.

Name: Month	n To Date vs. YAG					Day Filters
Resolution:	Month	$\sim$	Week Ending:	Sunda	у	$\sim$
This						
Month To Date	e Last Month L	ast 6 Months Year	To Date Last Year	Custor	n Fixed	
Start: 01	1/2000	[ <del>]]</del> ]		End:	01/2000	31
C deser	Link/	unlink date	e ranges		ОК	Cancel

Users can then change the date ranges of linked widgets simultaneously in view mode. For example, switch the entire dashboard from month-to-date to one week.




Any widget can be "unlinked" to have its own stand-alone date range.

#### Easier "Group By" and downlevel order selection

#### "Group By" and downlevel order selection in edit mode

The "Group By" (i.e., how data is grouped) and downlevel order (i.e., drill hierarchy) are controlled within a comprehensive management area. In edit mode, go to the Group By area of the toolkit to select an attribute to use as the 1st By and additional By attributes if desired. All the selected attributes will then be available for selection— as the By and/or as a filter—within the widget. In addition, the order selected in this dialog becomes the default downlevel order for the widget. This replaces the separate Downlevel Order area in previous versions to provide a more streamlined design process.




**Tip:** In this version, non-comparative widgets (e.g., gauge, trend, and scattergram) do not require a "Group By;" instead, they have a "Filter By."

#### "Group By" and downlevel order selection in view mode

Power viewers can change the 1st By, 2nd By, 3rd By, etc., using a simple pop-up menu if a widget has multiple Group By attributes (defined in edit mode; see above). This allows users to easily select top-level groupings as well as the downlevel order or "what to see next" when expanding groupings or drilling down.


This menu replaces the process previously required for power viewers to change the downlevel order, which was to drill down, change the By, and then drill back up. This process is no longer required or recommended because users can simply select the desired order from the following menu. (In addition, when a user drills down in Version 7.0, the downlevel order only changes temporarily, so the new 2nd By would not be retained using the previous method.)



**Tip:** As in previous versions, users must have Power Viewer licensing and the breadcrumb path must be enabled in order to change the By.


#### New and improved settings

Grid settings, graph settings, and general settings (previously called "other settings") are now located in the toolkit for easier access. Just click the widget and then click in the toolkit to change settings (edit mode only).



In this version, to access different grid types (scorecard, swapped, etc.), click on Grid Type under Grid Settings.

New options in grid settings let you selectively show or hide the totals row, average row, and subtotals row (i.e., checked members total).



Graph settings now include all options that are specific to graph formats, such as the graph page size and options for simplifying graphs. Options for the graph colors, type, width/size, style, and more, are now accessed by clicking Visual Options under Graph Settings.

Chart Visual Options							
Series 🗸	Тур	e	Color				
Units (This)	001	Column	0				
Margin (This)	001	Column	0				
Show All							
Custom Reference Line							

**Tip:** This is also where you can apply reference lines. Options for creating references lines are more intuitive in this version.

General settings include the options that were previously located in "other" settings (except those that have moved to a more logical location).

In addition, new settings allow you to control the exact location of a widget by entering its position (in pixels).

Title:
Units vs YAG
Title CSS:
Window Width:
490 🗘
Window Height:
350 🗘
X Position: NEW
470 🗘
Y Position: NEW
410 🗘
🗹 Enable Export
Show Date Setup Icon In Viewer Mode

Disable Breadcrumb Path


#### Flexible linking between related dashboards

Dashboard links have been merged with custom drill-downs to provide a comprehensive set of options for linking between related dashboards. These options are located under Navigation Links in the toolkit.

Custom drill-downs:

- To create a custom drill-down, simply add a navigation link that goes to the next dashboard and then check the Allow Navigation Links in Drill Path option. When the user drills, the next or "linked" dashboard will open with a filter for the selected item automatically applied.
- (NEW) You can add multiple links to custom drill-downs to allow users to select which dashboard to go to next.
- (NEW) More types of filters are carried forward to the next dashboard. In addition to a filter for the "drill" item(s), the next dashboard will automatically include any downlevel filters, widget and workspace filters (except those that use saved collections), and selections from filter widgets (i.e. filter menus), that are applied to the previous dashboard. (Note that saved collections will not be carried forward to the next dashboard automatically.)

**Tip:** In this version, a user must drill through all Bys in the widget before going to the next (i.e., linked) dashboard in a custom drill-down.



(NEW) You can open a navigation link in the same window or a new window.

#### Advanced search capabilities

More areas of the dashboards screen are searchable. The new "type as you go" search returns all possible items for fast and easy selection.

- Group By dialog (in edit mode)
- Filter By dialog (in edit mode)
- Widget filters
- By menu in breadcrumb path
- Measures dialog (in edit mode)
- Workspace filter menus
- Dashboard tree


#### For example:

Ora	nge	×	Ø
A	vailable: 5	Selected: 0	
	Brand		
	FLINCH ULTRA	ORANGE	
	FMAN ENERGY	ORANGE	
	LIGHTY LIGHT	ORANGE	
	PURELY XTREM	1E ORANGE FUE	

## Graphing and charting

#### See performance on a map

A Geo widget is now available to provide geospatial intelligence in dashboards. Maps can include markers that show precise account locations and performance (e.g., size and color may represent data values, change, etc.). In addition, the map can shade areas based on data totals or averages to reveal performance trends and areas of interest. Both the markers and map colors can be customized. The Geo widget requires additional installation and setup. Contact Salient for more information.




#### Compare multiple customized timeframes

The Multi Comparative can include any combination of custom date ranges. Each date range can include any number of days, weeks, months, periods, etc., compared to any earlier date range (i.e., Last). In addition, you can customize the column names.

	Any date rai	nges/measure	es			-		
By	Current Wee	k (ending Sunday)	Month 1	lo Date		Year To	Date	
Channel	U	nits Sold	Units	Sold	Units	Sold	Net Rev	/enue
	This	% Change	This	% Change	This	% Change	This	% Change
SUPERMARKET	2,9	74 152.25	20,575	1.65	206,191	-3.51	3,484,829	-2.50
OTHER OFF-PREMI	2,8	42 174.59	19,720	-3.71	232,815	-4.51	3,926,074	-3.15
CONVN-UNSPC-OFF	1,6	18 29.44	10,787	-14.06	132,426	-11.92	2,147,703	-10.88
SUPERCENTER	1,3	88 163.38	9,076	18.10	79,908	2.87	1,385,844	8.03
DRUG STORE	4	34 86.27	2,158	6.25	39,391	-0.53	596,573	-3.10
BAR/TAVERN/COCK	2	38 95.08	1,752	-0.86	23,791	-3.36	822,327	3.68
CLUB STORE		0 0.00	1,054	29.01	8,742	-4.20	155,963	-2.55
SERVICE ORGANIZ	1	23 108.47	723	16.24	9,499	-0.35	351,376	7.84
RESTAURANT		98 293.00	683	2.31	10,315	-6.74	367,338	8.72
4		32 220.00	625	-30.70	10.217	-11.06	437.424	-3.86
Total (20)	9,7	93 118.65	68,033	-0.84	767,557	-4.60	14,034,760	-1.99

Multi Comparative graphs are now available to provide visual representations of data values or percent change for multiple date ranges.




Units Sold [This vs Last] (Most Recent Complete Week vs. YAG) Units Sold [This vs Last] (Month To Date vs. YAG)
Units Sold [This vs Last] (Last 12 Months vs. YAG)

#### See it more ways at once

New formats of the Crosstab widget are available to visually represent change or intensity broken down two ways at once. In these graphs, blocks or bars represent the By attribute; these are subdivided by another attribute (called the Cross By). The graph can be customized to show intensity of data values, change since another timeframe, and/or attributes, to provide endless possibilities for visual data analysis. Here are just a few examples:

#### Identify share two ways


The Mondrian makes it easy to spot which items are most significant across another attribute (e.g., significant brands across regions).



Our Cola Our Neon Our DietCola Our Lemon-Lime Hires Root Be Our SF CF Cola Tea Mix Flavors Our CF Cola Orange


#### Spot gains and losses

The DeltaMap reveals significant changes since another timeframe.



#### Compare totals and details in one view

The Stacked Bar graph compares totals across an attribute (e.g., sales reps) and, at the same time, breaks the data down further by another attribute.



#### Two-way grid enhancements

Compare date ranges two ways at once in a grid. Columns can include values, difference, and percent change. (Previously, the Crosstab grid was limited to a single date range.)

		Our Col	la			Our Neo	on	
		Units				Units		
Region	This	Last	Diff	% Change	This	Last	Diff	% Change
🕀 🗌 SouthEast Area	29,894	48,151	-18,257	-37.92	10,688	16,997	-6,309	-37.12
🕀 🗌 SouthWest Area	27,198	41,813	-14,615	-34.95	6,645	10,676	-4,031	-37.76
🕀 🗌 East Area	25,089	38,210	-13,121	-34.34	9,752	14,259	-4,507	-31.61
🕀 🗌 NorthWest Area	24,776	37,077	-12,301	-33.18	9,273	13,582	-4,309	-31.73
🕀 🗌 Near West Area	6,521	9,215	-2,694	-29.23	2,526	3,888	-1,362	-35.03
🕀 🗌 NorthEast Area	47	60	-13	-21.67	7	72	-65	-90.28
Total (6)	113,525	174,526	-61,001	-34.95	38,891	59,474	-20,583	-34.61

Show multiple measures two ways at once (previously limited to single measure); the measures selection tool allows users to select which measure(s) to show.

CrossTab						1	Units Sol		
6Pk Cn Region	Our Co		Our Ne		Our Diet	Colo	🗹 Margin		
	Margi		Margi		Margi		ОК		Cancel
Brand	This	Last	This	Last	This	Last	This	La	This
Near West Area	22,878	39,972	10,103	16,701	10,632	21,001	3,853	6,5	63,01
SouthEast Area	8,688	18,265	6,453	10,186	6,064	8,930	1,471	1,6	32,60
SouthWest Area	11,523	8,794	5,059	2,701	4,168	3,515	1,860	1,2	28,68
NorthWest Area	7,783	6,203	2,921	2,524	2,246	2,237	968	9	18,80
East Area	4,790	6,554	2,616	3,159	1,943	3,971	757	1,3	13,55
NorthEast Area	635	55	88	32	127	17	35		96

## **Enhanced filtering**


This version provides new ways to filter the data to find the exact information needed. The breadcrumb path at the top of the widget shows the filters currently applied to the widget.



You can also access filters by clicking the filter button at the top of the widget.

└ \ 🗊 👊 🛴 Filters	
12Pk Cn Regional Chains Create a filter	
Units Workspace Filters	
This V Last Diff	
1,580 2,998 -1,418 Brand (Product) 1,076 2,016 -940 Our Cola	
791 1,718 -927	
471 748 -277 B Region (Customer)	
SouthEast Area	
Downlevels	
Channel (Customer)	
Regional Chains	
Widget Filters	
Package (Product)	
12Pk Cn	
Аррі	y

#### Filter types Interactive widget filters (NEW) -31 000 You can create and apply filters based on pre-set dimensions. Simply click on the widget, select Units Sold the type of filter, and then select the members for which to show Diff % Change Last data. All other data will be filtered 2,691 283 2,408 11.75 out. 2,605 -154 -5.58 2,759 An option is also available to filter 2,483 617 33.07 1,866 out or "exclude" the collection 2,148 97 4.73 2,051 members instead of all other members. You can apply the filter to a single Search widget or all widgets in the dashboard (i.e., apply to workspace). Customer Widget filters are available in view Customer Name mode and edit mode, but the Channel available dimensions (i.e., Group Bys or Filter Bys) must be SalesRep configured in edit mode. In edit mode, you can also apply a collection as a widget filter. Search Tip: Due to the enhanced filtering Selected: 2 options in this version, the "focus" is Available: 35 ىك no longer necessary in noncomparative widgets, such as the Channel gauge, scattergram, and trend. * (The focus used to filter the data in Colleges these types of widgets.) Conv - NoGas $\sim$ Conv With Gas 1 of 1 Exclude Checked Show All Save Apply Cancel



#### Other enhancements


#### Compare any timeframes in trends

You can now compare unequal date ranges in a Trend if you wish. This might be useful, for example, to show all dates during the previous year (YAG) even if the current year is incomplete.



#### Reverse chronological trend sorting

You can sort dates in descending order to see the most current date listed first and then go back in time.



#### Sort by data in a Trend

Click on a column to bring the highest (or lowest) values to the top of the list. For example, rank months, weeks, or days by sales volume.

Date	_Ur ∽
01/2017:	487,952
06/2017:	370,041
05/2017:	293,391
07/2017:	292,389
08/2017:	284,171

#### Nearly limitless member expansion


You can expand virtually unlimited levels of data in comparative widgets. (Previously, this was limited to the 2nd By). Expand the 1st By to see the 2nd By, the 2nd By to see the 3rd By... all the way down to the last Group By defined for the widget. This allows users to start with an overview and get down to actionable details without needing to drill or apply filters.

Comparative		
Channel		
	U	ni
Channel	This	
	1 ct Rv	75:
CASINO		40(
#INDEPENDENT	2nd By	40(
ALTWALTER		37:
ITHACA	3rd By	2
DAN MANNIN	NG	2

#### Improved WYSIWYG editing

The "Content" widget from previous versions has been replaced by Text and HTML widgets to make it easier to enter and format text in your preferred edit mode. Text widgets use standard formatting (WYSIWYG) controls by default. HTML widgets use HTML code by default. (You can still switch back and forth between WYSIWYG and HTML edit modes for either type of widget.)


In addition, text formatting is improved in this version.



#### Dashboards tree improvements

A drop-down menu at the top of the screen provides consistent access to dashboards from both view and edit modes (i.e., dashboards are no longer located in the toolkit). Just click the current dashboard name to open this menu, which includes the following enhancements:

- Dashboard category names are more intuitive in this version. "Published" dashboards are available to all users. "Unpublished" dashboards can be shared among users with "edit" rights, but are not available in the portal or mobile app. "Private" dashboards are only available to the users who create them.
- The menu provides quick access to favorite and recently-opened dashboards.
- You can place your cursor over a dashboard to perform a variety of tasks, such as setting the dashboard as the home screen, saving it as a favorite, viewing its URL, etc. These options depend on your rights and if the dashboard is published.
- You can search for a dashboard.



#### Portal bypass option (Home page)

A new "home page" preference lets users choose the default page to open after login. Note that this is different than the "home dashboard," which is a specific dashboard selected by the user. The "home page" can be the portal dashboard (default), "home dashboard," or a blank dashboard. The last two options allow users to bypass the portal. This new setting is located with other user preferences.

User Preferences				
Always Confirm Before Closing Window				
Currency Table:	None	$\sim$		
Home Page:	Home Dashboard	$\sim$		
	Portal		Cancel	
	Home Dashboard		Cancer	
	Blank Dashboard			

#### Consolidated trend widget type

For simplicity purposes, this version merges the Comparative Time Series and Trend widgets into one widget type (Trend). From this widget type, you can show a single date range or compare two date ranges over time.

**Tip:** The Add Widget menu does provide separate options for Trend and Comparative Time Series; however, both options add a "Trend" widget type with different default date settings (single date for Trend and two dates for Comparative Time Series).

# Version 6.20

# Options for simplified widgets (mini-widgets)

New widget options enable the creation of smaller, simpler widgets:

- Hide the axis labels.
- Hide the legend.
- Turn off the widget border in Viewer.
- Make the widget background transparent.
- Make widgets as small as you wish (no minimum size requirement).


For example:

# Top 5 Accounts - Month to Date (mouseover to see details)

Sales, Revenue, Margin




Sales Units for Most Recent 30 Days (Total)



% Change - MTD vs. YAG

Sales Units vs.All Other Accounts



In addition, the widget toolbar only appears when users mouseover a widget, resulting in a more streamlined appearance.

## Gauge enhancements

• A new solid gauge is available to represent a value or percent change in a simplified format. The solid gauge uses shading instead of a needle and is available as either a circle or a semi-circle. In addition, the dashboard designer can choose the color and thickness of the solid gauge.

For example:	
-32.95%	How much is volume or any other measure up or down?
\$25,361	Compare a value (this or last) to any threshold by entering your own minimum and maximum values (in graph settings).
-54.91%	Use highlighting to immediately spot values or percent change within a range of concern.

• A numeric gauge format is available for a quick look at key performance indicators, such as percent change and actual values. Additional options allow for truncation (i.e., rounding) of numbers, turning on/off values for the previous (last) period, and highlighting.



## Dashboard links

Embedded dashboard links allow users to go directly from a widget to another dashboard. The links appear underneath a button or within a panel at the bottom of a widget depending on whether it is "pinned." In addition, dashboard display names can be customized.



# Fully-customized data access (conditional password collections)

By applying conditions to password collections, administrators can now allow visibility into summary views across the organization while selectively restricting access to details by user. (In previous versions, password collections completely restricted access to data with no exceptions.) For example, sales representatives might have access to company-wide sales by sales rep, region, manager, etc., without the ability to see other representatives' customers or other details.

#### Improved performance

This version provides faster loading of dashboards that have many widgets and/or filters.

#### Near-real-time data (BETA)

The ability to update data while users are connected (i.e., near-real-time updates) was released as a BETA feature in this version.

# Version 6.01

## Multi Comparative widget

The new Multi Comparative widget shows multiple time comparisons at once—a month compared to the same month during the previous year and the year-to-date compared to the previous year. (In Version 7.0, the Multi Comparative is enhanced to show any number of customized date ranges.)

## Crosstab widget

The new Crosstab widget provides a comparison grid that shows data by two different attributes (1st By and 2nd By) at once. For example, view revenue by brand and channel to see what brands are selling best in specific channels. (In Version 7.0, additional formats and options are available for the Crosstab.)

#### Year-to-date in time-series

You can now use the year-to-date (YTD) option in time-series widgets.

# Measure selection in Power Viewer and the Salient Mobile app

Power Viewer and Salient Mobile app users can select measures in additional widget types, including Share Trend and the new Crosstab. Dashboard Designers can enable measure selection and choose which measures should be available to users.

#### Improved appearance and usability

Column headings automatically wrap when necessary to provide an improved appearance and more efficient use of screen space.

# Version 6.0

## Languages

If the dataset has multiple languages, your administrator can select which dataset language to display for each configured server. The dataset language controls measure names, dimension descriptions, key descriptions, etc. Previously, only the default dataset language was available in Salient Dashboards. As in previous versions, the administrator can also select the language of the user interface (menus, dialogs, dates, etc.).

# For more information

To see instructions for using new features, refer to the Salient Dashboards help or user manual provided with the release. Some features may require additional licensing.